

PERFECT FOR DEDICATED THEATRE



Premium home theatres, luxury living room cinemas, and dynamic multi-channel installations.

IWD-62

Perfect for dedicated theatre

CORE SPECIFICATIONS:

- Type: Dual 6. 5", 2-Way 3-unit full range speaker
- Frequency Range (-10dB): 60~30KHz
- Frequency Response (±3dB): 70~25KHz
- Recommended Amplified Power: 50- 450W
- Sensitivity (1W/1M): 93dB
- Maximum SPL: 110dB
- Nominal Impedance: 4 ohms
- Crossover Points: 2.5KHz






IVVD-62 Product Views



ENGINEERED DIMENSIONS FOR A PERFECT FIT



DRIVER ONFIGURATION

P Low-Frequency (LF) Woofer − 2x6. 5"Ø30mmVC

Mid-Range Drivers 4 - x 3" Ø19mm VC

High-Frequency (HF) Driver - 3 x AMT Pneumatic Compression Driver



DIMENSIONS & WEIGHT

Panel Size (W x D x H) - 243x2x559mm

Cabinet Size - 210x104x518mm

Wall Cut-Out (Hole Size) - 215x523(Depth>110mm)

• Package Size (W x D x H) - 633x317x190mm

Net Weight - 8. 05Kg/pc

Gross Weight - 9. 55Kg/pc

