

www.thezerodb.com

zerodb

DISCREET SOUND.SEAMLESS DESIGN.

IWP-62



IDEAL FOR SEAMLESS ARCHITECTURAL INTEGRATION.

www.thezerodb.com

zerodb

IWP-62

Refined Architectural Audio

SPECIFICATIONS

TYPE	2 x 6.5”, 2-way in-wall speaker
FREQUENCY RESPONSE (±3DB)	50Hz – 20kHz (±3dB)
POWER HANDLING	20W – 400W
SENSITIVITY (1W/1M)	94dB
IMPEDANCE	4 ohms
WOOFER	2 x 6.5” bamboo charcoal fibre cone
TWEETER	1” (25mm) silk dome
SPEAKER SIZE (W×H×D)	210 x 480 x 107 mm
CUTOUT SIZE (W×H)	188 x 458 mm, depth > 115 mm
NET WEIGHT	4.35 kg
GRILLE	Metal

zero db

IWP-62

ARCHITECTURAL IN-WALL SPEAKER




FRONT VIEW



BACK VIEW

zerodb

ENGINEERED DIMENSIONS FOR A PERFECT FIT







zerodb

GERMAN INSPIRED, GLOBALLY PERFECTED.

sales@thezerodb.com | www.thezerodb.com