

C I N E M A T I C C L A R I T Y F R O M A B O V E

ICD-61



Dedicated Home Theatres – Luxury Living Cinemas – Immersive
Audio Systems

ICD-01

In-Ceiling Speaker

CORE SPECIFICATIONS:



Type: 6.5" Ceiling speaker



Frequency Range (-10dB): 64~25KHz(-10dB)



Frequency Response (± 3 dB): 75~25KHz(± 3 dB)



Recommended Amplified Power: 25~180W



Sensitivity (1W/1M): 93dB




Maximum SPL: 108dB




Nominal Impedance: 4ohms




Crossover Points: 2.KHz



ICD-61 Product Views



Bold from the front





Sleek from the Sides



Closer Look

ENGINEERED DIMENSIONS FOR A PERFECT FIT



DRIVER ONFIGURATION

- Low-Frequency (LF) Woofer -1x6. 5"Ø30mmVC
- High-Range Drivers - 1x1"Ø25mmVC
- Dispersion/-6dB 140°



DIMENSIONS & WEIGHT

- Product Size(WxDxH) Panel size: Ø229x131mm Hole size::Ø210(Depth>133mm)
- Package Size(WxDxH) 303 x303x190mm
- Enclosure ABS
- Package Size (W x D x H) - 303x303x190mm
- Net Weight - 2. 3Kg/pc
- Gross Weight - 3. 5Kg/pc



sales@thezerodb.com

www.thezerodb.com